

# **P. cyanescens “Copelandia Hawaiian” MUSHROOM GROW KIT**

## **Instructions:**

1. Open the box and take out the contents. The box contains:

- 1 grow kit
- 1 grow bag
- 1 cup of topsoil (casing layer)

2. Wash your hands thoroughly with soap and water. We recommend using latex gloves and (alcohol-based) hand sanitizer. Optionally, wear a face mask. Evenly spread the topsoil over the substrate. This is best done using your hands while wearing clean latex gloves. Then, place the grow kit inside the supplied grow bag.

3. While the grow kit is inside the grow bag, spray the topsoil thoroughly so that it is nice and moist (but not soaked!). Also spray the inside of the bag. Make sure there is enough fresh air inside the bag and close it with a paperclip.

4. Continue spraying the topsoil and the inside of the grow bag daily (1 to 2 times a day). Gently squeeze the bag to remove stale air and allow fresh oxygen in. It is very important at this stage to keep the topsoil and the grow bag moist.

5. After 6 to 11 days, mushrooms will begin to form (pins). At this point, take the grow kit out of the bag, spray the inside of the bag, and refresh the air. Cyanescens do not respond well to direct water contact. After that, return the grow kit to the bag.

It may happen that mushrooms grow more slowly or are smaller during the first flush. If this happens, remove the grow kit from the bag and pour 1–2 cm of water into the bag. After a day or two, growth should resume.

6. The mushrooms will be ready for harvest 5 to 7 days after pinning begins. Harvest them 24–36 hours after the black spores start to drop. Unlike Cubensis, it’s better to let Cyanescens mushrooms mature a bit longer. Pick the mushrooms by gently bending them until the base of the stem snaps.

7. After harvesting, re-moisten the topsoil layer by thoroughly spraying it from about 10 cm distance. It’s perfectly fine if 1–2 cm of water collects at the bottom of the grow bag. The second flush will now begin. Keep the bag moist, but always avoid spraying the new mushrooms directly.

## **COPELANDIA GROWING PARAMETERS:**

### **STAGE 1: PRIMORDIA FORMATION**

Initiation temperature: 21–26°C

Relative humidity: 95–100%

### **STAGE 2: MUSHROOM FRUIT BODY DEVELOPMENT**

Temperature: 21–26°C

Relative humidity: 90–95%

### **POTENCY OF COPELANDIA MAGIC MUSHROOMS**

Cyanescens mushrooms are about five times stronger than Cubensis. Keep this in mind when determining the proper dosage. Always start with a low dose and trip responsibly.